

										ZNA	Dec 2021				
Procedure Information - Laparoscopic Myomectomy											Visit No.:		Dept.:		
											Name:	Name: Sex/Age:			
											Doc. No.:		Adm. Date:		
											Attn. Dr.:				
Page No:	01	02	03	04	05	06	07	08	09		Patient No.: PN		Please fill in /		
	+10	+20	+30	+40	+50	+60	+70	+80	+90			afi	fix patient's labe	e/	

# Introduction

Removal of the uterine fibroids by inflating the abdominal cavity with carbon dioxide and inserting instruments through small incisions into the abdomen.

5.

6.

7.

## **Indications**

- 1. Heavy menstrual flow
- 2. Pressure symptom

# The Procedure

- 1. General anaesthesia
- 2. Pneumoperitoneum created by insufflation of carbon dioxide
- 3. Abdominal incisions
- 4. Passage of telescope and instruments into abdomen

# **Risk and Complication**

There are always certain side effects and risks of complications of the procedure. Medical staff will take every preventive measure to reduce their likelihood.

#### Possible risks and complications (not all possible complications are listed)

- 1. Anaesthetic complications
- 2. Bleeding, may require blood transfusion and even hysterectomy
- 3. Injury to adjacent organs, such as bladder, ureters, bowels and blood vessels, may require repair
- 4. Procedure may not be feasible if adenomyosis or fibroids not identifiable due to small size or too deep seated
- 5. Failure to complete the intended procedure

## **Pre-operative information**

- 1. Your doctor will explain to you the reason, procedure and possible complications
- 2. You will need to sign a consent form before operation
- 3. No food or drink for 6 to 8 hours before operation
- 4. Blood taking for blood typing and screening

laparoscopically, may require laparotomy

All tissue removed will be sent to Pathology

Department or disposed of as appropriate

(V1) BBB

- 6. Wound complications, such as infection and hernia
- 7. Shoulder tip pain

3. Pelvic or abdominal mass

Uterine fibroids removed

Closure of abdominal wound

unless otherwise specified

- 8. Recurrence, may require another operation
- 9. Adverse effect on future fertility due to adhesion
- 10. Deep vein thrombosis and pulmonary embolism in high risk patients
- 5. Fleet enema may be given if necessary as instructed by your doctor
- 6. Pubic hair is shaved if necessary as instructed by your doctor



St. P	釆 <b>俅 啻 阮</b> aul's Hospital				ZNA	(V1) Dec 2021		
Procedu					Visit No.:	Dept.:		
Laparos	copic M	yome	ctor	ny	Name:	Sex/Age:		
					Doc. No.:	Adm. Date:		
					Attn. Dr.:			
Page No:	01 02 03   +10 +20 +30		06 07 +60 +70	08 09 +80 +90	Patient No.: PN	Please fill in / affix patient's labe	el	

# Post-operative information

- Take medication as prescribed by your doctor 1.
- Contact your doctor or attend a hospital if you experience severe abdominal pain, purulent discharge, 2. heavy vaginal bleeding, fever (body temperature above 38°C or 100°F), or other unusual symptoms
- 3. May get pregnant half year after operation
- 4. Increase in risk of uterine rupture in future pregnancy, may require caesarean section

## Remarks

This is general information only and the list of complications is not exhaustive. Other unforeseen complications may occasionally occur. In special patient groups, the actual risk may be different. For further information please contact your doctor.

# Reference

Department of Obstetrics & Gynaecology - The University of Hong Kong

\_\_\_\_\_

I acknowledge that the above information concerning my operation/procedure has been explained

to me by Dr. . I have also been given the opportunity to ask questions and

receive adequate explanations concerning my condition and the doctor's treatment plan.

Patient / Relative Name

Signature

Relationship (if any)

Date